

Technical data sheet


Service pole, type ISSHS4

Item number: 6286700



ISS sheet steel service pole with a 76.5 mm system opening on four sides.

Empty, fittable from all four sides with six standard devices (socket, telephone, etc.) on each side, max. 24 devices. Fastening possible directly on the floor. Accessory mounting boxes to be ordered separately. The service pole is suitable for accepting front locking accessory mounting boxes of the series 71GD....



St Steel

Master data

| | |
|---------------------|------------------------|
| Item number | 6286700 |
| Type | ISSHS4 61OT3RW |
| Description 1 | Service post |
| Description 2 | with system opening 80 |
| Manufacturer | OBO |
| Dimension | 680x212x212 |
| Colour | Pure white; RAL 9010 |
| Material | Steel |
| Smallest sales unit | 1 |
| Unit of quantity | Piece |
| Weight | 1050 kg |
| Weight unit | kg/100 pc. |


Technical data sheet

Service pole, type ISSHS4

Item number: 6286700



Dimensions



| | |
|--------|--------|
| Length | 680 mm |
| Width | 212 mm |
| Height | 212 mm |



Technical data sheet

Service pole, type ISSHS4

Item number: 6286700



Technical data

| | |
|-------------------------------|---------------|
| Number of usable covers | 4 |
| Number of compartments | 4 St. |
| Version for | Miscellaneous |
| Fastening type | Bolts |
| Floor mounting | yes |
| Ceiling mounting | no |
| Continuous profile | yes |
| Halogen-free | yes |
| Cable entry | Bottom |
| Cover width | 76.5 mm |
| Changes according to location | no |
| Pole shape | Square |
| Pole height, min. | 680 mm |
| Adjustable | no |
| Pre-wired | no |